UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/798,682	03/11/2004	Joel A. Schwartz	10189-002001	6249
20.00	7590 05/25/2007 ARDSON PC		EXAMINER	
FISH & RICHARDSON PC P.O. BOX 1022			PAINTER, BRANON C	
MINNEAPOLI	S, MN 55440-1022	•	ART UNIT PAPER NUMBER	
			3609	
		•		
			MAIL DATE	DELIVERY MODE
	•		05/25/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

·			
	Application No. Applicant(s)		
Office Action Comment	10/798,682	SCHWARTZ, JOEL A.	
Office Action Summary	Examiner	Art Unit	
·	Branon C. Painter	3609	
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet wi	th the correspondence a	ddress
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory peri - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 1.136(a). In no event, however, may a rood will apply and will expire SIX (6) MON tute, cause the application to become AB	CATION. eply be timely filed THS from the mailing date of this ANDONED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 2a) ☐ This action is FINAL . 2b) ☐ This action is FINAL . 2b) ☐ This action is application is in condition for allow closed in accordance with the practice under the practice.	his action is non-final. vance except for formal matt	• •	ne merits is
Disposition of Claims			
4) Claim(s) 1-33 is/are pending in the application 4a) Of the above claim(s) 24-31 is/are withdrest is/are allowed. 5) Claim(s) is/are allowed. 6) Claim(s) 1-23,32 and 33 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and are subject to restriction and are subject to restriction and are subject to by the Examination Papers 9) The specification is objected to by the Examination The drawing(s) filed on 08/30/04 is/are: a) Chaplicant may not request that any objection to the Replacement drawing sheet(s) including the corr	rawn from consideration. d/or election requirement. iner. accepted or b)⊠ objected the drawing(s) be held in abeyan	ce. See 37 CFR 1.85(a).	CFR 1.121(d).
11)☐ The oath or declaration is objected to by the	Examiner. Note the attached	Office Action or form P	TO-152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for forei a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a li	ents have been received. ents have been received in A riority documents have been eau (PCT Rule 17.2(a)).	oplication No received in this Nationa	ıl Stage
Attachment(s)		•	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 06/17/04.	Paper No(s	ummary (PTO-413))/Mail Date formal Patent Application	

Application/Control Number: 10/798,682

Art Unit: 3609

DETAILED ACTION

Page 2

Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - 1. Claims 1-23, 32, and 33, drawn to a rigid insulation product, classified in class 052, subclass 404.1.
 - II. Claims 24-31, drawn to a method of constructing a floor of a structure, classified in class 052, subclass 403.1.
- 2. Inventions rigid insulation product and method of constructing a floor structure are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make another and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the process of constructing the floor of a structure can be used to make another materially different product, e.g. the ceiling of a structure.
- 3. Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction was not required because the inventions have acquired a separate status in the art due to their recognized divergent subject matter, restriction for examination purposes as indicated is proper.
- 4. During a telephone conversation with Celia H. Leber on April 23, 2007 a provisional election was made without traverse to prosecute the invention of Group I, claims 1-

Art Unit: 3609

23, 32, and 33. Affirmation of this election must be made by applicant in replying to this Office action. Claims 24-31 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Information Disclosure Statement

5. The information disclosure statement (IDS) submitted on 06/17/04 was filed after the mailing date of the non-provisional application on 03/11/04. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

Drawings

- The drawings were received on 08/30/04. These drawings are objected to as detailed below.
- 7. The drawings are objected to under 37 CFR 1.83(a) because they fail to show detail A in Figure 3 as described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the

Page 4

appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

8. The disclosure is objected to because of the following informalities: the descriptions for Figures 4 and 5 are on the same line (Description of Drawings section, line 4).
The description of each figure should begin on a new line. Appropriate correction is required.

Claim Objections

9. Claim 32 is objected to because of the following informalities: the C-shaped cross-section claimed is not disclosed in the drawings. The drawings must show every feature of the invention specified in the claims. Therefore, the C-shaped cross-

Art Unit: 3609

section of claim 32 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. Appropriate correction is required.

Claim Rejections - 35 USC § 102


10. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 11. Claims 1-3, 5, 7, 8, and 32 are rejected under 35 U.S.C. 102(b) as being anticipated by Kubica (U.S. Patent No. 6,349,520).
- 12. Regarding claim 1, Kubica discloses a rigid insulation product having all of the applicant's claimed structure, including:
 - a. "A rigid insulation product comprising a single unitary insulating member..."
 ("insulating panel" 60, Fig. 9).
 - b. "...and including a plurality of slots extending width-wise across the member..." ("recesses" 64, Fig. 9).

Application/Control Number: 10/798,682

Art Unit: 3609




Reproduced from U.S. Patent No. 6,349,520

- 13. The examiner notes that a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim.

 Intended use recitations in the claimed invention include, but are not limited to, "for use in wood frame construction" (claim 1) and "each slot being dimensioned to receive an end of a floor joist" (claim 1).
- 14. The examiner further notes that a preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations

Art Unit: 3609

- are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).
- 15. Regarding claim 2, Kubica discloses slots disposed at spaced intervals ("recesses"64, Fig. 9).
- 16. Regarding claim 3, Kubica discloses a wall at the base of each slot thick enough to provide a thermal break between the joist end and the joist header ("wall," examiner amended Fig. 9 below).



Reproduced from U.S. Patent No. 6,349,520 (Amended by Examiner to Highlight Details)

- 17. Regarding claim 5, Kubica discloses slots extending the entire width of the insulating member ("recesses" 64, Fig. 9).
- 18. Regarding claim 7, Kubica discloses an insulating member comprised of polystyrene ("insulating panel" 60, Fig. 9; "Insulating panels such as polystyrene foam boards…" column 2, lines 12-13).

Art Unit: 3609

19. Regarding claim 8, Kubica discloses slots that can receive an I-beam ("recesses"64, Fig. 9).

20. Regarding claim 32, Kubica discloses slots that are capable of receiving an I-beam ("recesses" 64, Fig. 9).

Claim Rejections - 35 USC § 103


- 21. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 22. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 23. Claims 4, 6, 13-19, 22, 23, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubica (U.S. Patent No. 6,349,520) in view of L'Heureux (U.S. Patent No. 4,967,529).

Art Unit: 3609

24. Regarding claims 4 and 16:

a. Kubica discloses a rigid insulation product as set forth above.

- b. Kubica does not expressly disclose that the rigid insulation product is mounted to a wood member, or that the width of the rigid insulation product is substantially equal to the width of the wood member on which it will be mounted.
- c. L'Heureux discloses the mounting of insulating foam to a wood member, where the width of the insulating foam is substantially equal to the width of the wood member ("high density polyurethane foam pad" 8 and "lath" 4, Fig.
 - 1). The mounting of a rigid insulation product to a wood member (such as a joist member) as taught by L'Heureux results in a compound member with increased structural rigidity.
- d. Kubica and L'Heureux are analogous art because both are from the same field of endeavor of structural insulation.
- e. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to mount the rigid insulation product on a wood member (such as a joist header) to increase the structural rigidity of the assembly.



Reproduced from U.S. Patent No. 4,967,529

25. Regarding claims 6 and 33:

- a. Kubica discloses a rigid insulation product as set forth above.
- Kubica does not expressly disclose that the rigid insulation product is attached to a joist header.
- c. L'Heureux discloses the mounting of insulating foam to a joist header ("high density polyurethane foam pad" 8 and "lath" 4, Fig. 1). The mounting of a rigid insulation product to a joist header as taught by L'Heureux results in a compound member with increased structural rigidity.
- d. Kubica and L'Heureux are analogous art because both are from the same field of endeavor of structural insulation.

Art Unit: 3609

e. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to mount the rigid insulation product to a joist header to increase the structural rigidity of the assembly.

26. Regarding claims 13-15 and 17-19:

- a. Kubica discloses a rigid insulation product comprising a single unitary insulating member and a plurality of slots extending width-wise [claim 13]. Also disclosed by Kubica are slots disposed at spaced intervals [claim 14], a wall at the base of each slot thick enough to provide a thermal break [claim 15], slots extending the entire width of the insulating member [claim 17], an insulating member comprised of polystyrene [claim 18], and slots that can receive an I-beam [claim 19].
- Kubica does not expressly disclose a wood member mounted on the rigid insulation product [claim 13].
- c. L'Heureux discloses a wood member (such as a joist member) mounted on the rigid insulation product ("lath" 4 made of plywood and "high density polyurethane foam pad" 8, Fig. 1). The mounting of a wooden member to a rigid insulation product as taught by L'Heureux results in a compound member with increased structural rigidity.
- d. Kubica and L'Heureux are analogous art because both are from the same field of endeavor of structural insulation.
- e. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to mount a wooden member (such as a joist member)

Art Unit: 3609

on the rigid insulation product in order to increase the structural rigidity of the assembly.

27. Regarding claims 22 and 23:

- a. Kubica in view of L'Heureux discloses the claimed invention, including showing the wall having a thickness ("insulating panel" 60, Fig. 9). However, Kubica does not specify a wall thickness of at least 0.375 inches, and a thickness between the slots of from about 1.0 to 3.5 inches. It would have been obvious to one having ordinary skill in the art at the time the invention was made to optimize these thicknesses to provide sufficient insulation while conserving insulating material, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. MPEP 2144.05.
- b. The examiner further notes it would have been obvious to coordinate thicknesses with desired insulation ability, e.g. a thicker product would be a better insulator.
- 28. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubica (U.S. Patent No. 6,349,520) in view of Berdan, II (U.S. Patent No. 6,042,911).
 - a. Kubica discloses a rigid insulation product as set forth above.
 - Kubica does not expressly disclose that the slots are spaced at intervals of about 16 inches or about 24 inches.

Art Unit: 3609

c. Berdan, II discloses "most framing has a standard or traditional size of either 16 inches or 24 inches between joists" (column 1, line 67 – column 2, line 2). The spacing of joist-receiving slots as taught by Berdan, II results in industry standard spacing common to the art of wood frame construction.

- d. Kubica and Berdan, II are analogous art because both are from the same field of endeavor of building insulation.
- e. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to space the joist-receiving slots 16 or 24 inches apart to abide by industry standards.
- 29. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubica (U.S. Patent No. 6,349,520).
 - a. Kubica discloses the claimed invention, including showing the wall having a thickness ("insulating panel" 60, Fig. 9). However, Kubica does not specify a wall thickness of at least 0.375 inches, and a thickness between the slots of from about 1.0 to 3.5 inches. It would have been obvious to one having ordinary skill in the art at the time the invention was made to optimize these thicknesses (wall thickness of 0.375 inches and slot thickness between 1.0 and 3.5 inches) to provide sufficient insulation while conserving insulating material, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. MPEP 2144.05.

Art Unit: 3609

b. The examiner further notes it would have been obvious to coordinate thicknesses with desired insulation ability, e.g. a thicker product would be a better insulator.

- 30. Claims 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubica (U.S. Patent No. 6,349,520) in view of L'Heureux (U.S. Patent No. 4,967,529) as applied to claims 13-15 and 17-19 above, and further in view of Berdan, II (U.S. Patent No. 6,042,911).
 - a. Kubica discloses a rigid insulation product as set forth above.
 - Kubica does not expressly disclose that the slots are spaced at intervals of about 16 inches or about 24 inches.
 - c. Berdan, II discloses "most framing has a standard or traditional size of either 16 inches or 24 inches between joists" (column 1, line 67 column 2, line 2). The spacing of joist-receiving slots as taught by Berdan, II results in industry standard spacing common to the art of wood frame construction.
 - d. Kubica and Berdan, II are analogous art because both are from the same field of endeavor of building insulation.
 - e. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to space the joist-receiving slots 16 or 24 inches apart to abide by industry standards.

Art Unit: 3609

Conclusion

31. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Branon C. Painter whose telephone number is (571) 270-3110. The examiner can normally be reached on Mon-Fri 7:30AM-5:00PM, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Victor Batson can be reached on (571) 272-6987. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Victor Batson

Supervisory Patent Examiner

Art Unit 3609

Branon Painter 04/19/2007